References

[1] Aruna Rani and R.K. Dawre, "Design and Analysis of Rectangular and U Slotted Patch for Satellite Communication" International Journal of Computer Applications, vol. 12 No.7, Dec. 2010.

[2] A. P. Feresidis, G. Goussetis, S. Wang, and J. C. Vardaxoglou, "Arti-ficial Magnetic Conductor Surfaces and their Application to Low-profile High-gain Planar Antennas" IEEE Trans. Antennas Propag., vol. 53, no.1, pp. 209–215, Jan. 2005.

[3] A. K. Zadeh and A. Karlsson, "Capacitive Circuit Method for Fast and Efficient Design of Wideband Radar Absorbers " IEEE Trans. Antennas Propag., vol. 57, no. 8, pp. 2307-2314, Aug. 2009.

[4] B. A. Munk, R. J. Luebbers, and R. D. Fulton, " Transmission through a 2-layer Array of Loaded Slots " IEEE Trans. Antennas Propag., vol. AP 22, no. 6, pp. 804–809, Nov. 1974.

[5] B. A. Munk, "Frequency Selective Surfaces Theory and Design" New York: Wiley, 2000.

[6] B. A. Munk, P. Munk, and J. Pryor, "On designing Jaumann and circuit analog absorbers (CA absorbers) for oblique angle of incidence " IEEE Trans. Antennas Propag., vol. 55, no. 1, pp. 186–193, Jan. 2007.

[7] C. A.Balanis "Antenna Theory, Analysis and Design" JOHN WILEY & SONS, INC, NEW YORK 1997.

[8] C.Peunte Baliarda ,Jardi Ramer and A. cardama, "The Koch Monopole: A Small Fractal Antenna" IEEE Trans. Antenna and Propag. vol. 11, pp. 1773-81. 2000.

[9] C. N. Chiu, C. H. Kuo, and M. S. Lin, "Bandpass Shielding Enclosure Design Using Multipole-Slot Arrays for Modern Portable Digital Devices" IEEE Trans. Electromagnetic Compat. , vol. 50, no. 4, pp. 895–904, Nov. 2008.

[10] D. J. Kern, D. H. Werner, A. Monorchio, L. Lanuzza, and M. J. Wilhelm, "The Design Synthesis of Multiband Artificial Magnetic Conductors Using High Impedance Frequency Selective Surfaces" IEEE Trans. Antennas Propag. , vol. 53, no.1, pp. 8–17, Jan. 2005.

[11] D. Sievenpiper, L. Zhang, R. F. Jimenez Broas, N. G. Alex'opolous, and E. Yablonovitch, "High-Impedance Electromagnetic Surfaces with a Forbidden Frequency Band " IEEE Trans. Microwave Theory Tech., vol. 47, no. 11, pp. 2059–2074, Nov. 1999.

[12] D. H. Werner and S. Ganguly , "An Overview of Fractal Antenna Engineering Research", IEEE, Antenna and Propag. Magazine, vol. 45, No. 1, pp. 38-57, 2003.

[13] D. Qu, L. Shafai and A. Foroozesh, "Improving Microstrip Patch Antenna Performance using EBG Substrates". IEEE Proceedings -Microwave and Antennas Propag., vol. 153, No. 6, Dec 2006.

[14] F. Yang and Y. Rahmat-Samii, "Reflection Phase Characterizations of the EBG Ground Plane for Low Profile Wire Antenna Applications," IEEE Trans. Antennas Propag., vol. 51, no. 10, pp. 2691–2703, Oct. 2003.

[15] F. R. Yang, K. P. Ma, Y. Qian, and T. Itoh, "A Uniplanar Compact Photonic Bandgap (UC-PBG) Structure and its Applications for Microwave circuits," IEEE Trans. Microwave Theory Tech. , vol. 47, no. 8, pp. 1509–1514, Aug. 1999.

[16] G. I. Kiani, K. L. Ford, K. P. Esselle, A. R. Weily, C. Panagamuwa, and J. C. Batchelor, "Single-layer Bandpass Active Frequency Selective Surface," Microw. Opt. Technol. Lett., vol. 50, no. 8, pp. 2149–2151, Aug. 2008.

[17] G. I. Kiani, K. L. Ford, K. P. Esselle, A. R. Weily, and C. J. Panaga- muwa, "Oblique Incidence Performance of A Novel Frequency Selective Surface Absorber" IEEE Trans. Antennas Propag., vol. 55, no. 10, pp. 2931–2934, Oct. 2007.

[18] H. Mosallaei and K. Sarabandi, “Antenna Miniaturization and Band width Enhancement using a Reactive Impedance Substrate ” IEEE Trans. Antennas Propag., vol. 52, no. 9, pp. 2403–2414, Sep. 2004.

[19] H.-Y.Xu, H.Zhang,J.Wang and L-X. Ma “A new Tapered Slot Antenna with Symmetrical and Stable Radiation Pattern” Progress In Electromagnetic Research Letters, vol. 5, pp. 35–43, 2008.

[20] Hosseini, M., A. Pirhadi, and M. Hakkak, “A Novel AMC with Little Sensitivity to Angle of Incidence using an Optimized Jerusalem Cross FSS" PIER 64, 43, 51, 2006.

[21] I-F. Chen, C. M. Peng, and S-C. Liang, “Single Layer Printed Monopole Antenna for Dual ISM Band Operation ” IEEE Trans. Antennas Propag., vol.53, N. 4. pp. 1270 - 1273, Apr. 2005.

[22] J. L. Pan, S. S. Rappaport, and P. M. Djuric, “A Multibeam Medium Access Scheme for Multiple Services in Wireless Cellular Communications ” in Proc. IEEE 1999 Int. Conf. Communication, vol. 3, pp. 1673–1677, 1999.

[23] J. M. Bell, M. F. Iskander, and J. J. Lee, “Ultrawideband Hybrid EBG/Ferrite Ground Plane for Low-Profile Array Antennas," IEEE Transactions on Antennas and Propag., vol. 55, No. 1, 2007.

[24] J. Bell and M. Iskander, “A Low-profile Archimedean Spiral Antenna using an EBG Ground Plane ” IEEE Antennas Wireless Propag. Lett., vol. 3, pp. 223–226, 2004.

[25] J. McVay, N. Engheta, and A. Hoorfar, “High Impedance Meta material Surfaces using Hilbert-curve Inclusions” IEEE Microw. Wireless Compon. Lett. , vol. 14, pp. 130–132, 2004.

[26] J. Liang and H. Y. David Yang, “Radiation Characteristics of a Microstrip Patch over an Electromagnetic Band gap Surface,” IEEE Trans. Antennas Propagation. , vol. 55, no. 6, pp. 1691–1697, Jun. 2007.

[27] K. Balamanikandan,and S.Raghavan, “CPW –Fed Slot Antenna for Wideband Applications” International Journal of Antennas and Propag., Article ID 379247, 2008.

[28] L. Jofre, B. A. Cetiner, and F. Flaviis, “Miniature Multi-Element Antenna for Wireless Communications,” IEEE Trans. Antennas Propag., vol.50, N. 5. pp. 658–669, May 2002.

[29] M. Ali, T. Sittironnarit, H.S. Hwang, R. A. Sadler,and G. J. Hayes, “Wide-Band/Dual-BandPackaged Antenna for 5–6 GHz WLAN Application,” IEEE Trans. Antennas Propag., vol.52, N.2. pp. 610-615, Feb. 2004.

[30] M. Fallah-Rad,et.al ”Enhanced Performance of a Microstrip Patch Antenna using a high Impedance EBG Structure”, IEEE Proc. Micro, AP- 149, No. 3, pp. 141-146, June. 2002.

[31] M. S. Zhang, Y. S. Li, C. Jia, and L. P. Li, “Signal Integrity Analysis of the Traces in Electromagnetic-Bandgap Structure in High-speed Printed Circuit Boards and Packages,” IEEE Trans. Microwave Theory Tech., vol. 5, no. 5, pp. 1054–1062, Nov. 2007.

[32] Mohamed Nabil Sarifi and Mohamad Essaaidi, “Rectangular Slotted Patch Antenna for 5-6 GHz Applications” International journal of microwave and optical technology, vol. 5 no.2, March 2010.

[33] Mohammad Tariqul Islam, Mohammad Nazmus Shakib, Norbahiah Misran & Tiang Sew Sun, “Broadband Microstrip Patch Antenna” European Journal of Scientific Research vol. 27, no.2, pp. 174-180, 2009.

[34] Nargis Aktar and Md. Ruhul Amin "Gain Enhancement of a Microstrip Patch Antenna using simple Electromagnetic Band Gap Substrate**"** International Journal of Wireless & Mobile Networks (IJWMN) vol. 3, No. 1, Feb 2011.

[35] N. Engheta and R. W. Ziolkowski , Metamaterials: Physics and Engineering Explorations Hoboken/Piscataway, NJ: Wiley-IEEE Press, 2006.

[36] N.coher, "Fractal antenna part-1:Introduction and the fractal Quad", Communication quaterly, Summer, pp7-22, 1995.

[37] R. Jordan and C.T. Abdallah, "Wireless Communications and Networking: An Overview" IEEE Antennas Propag. Mag., vol. 44, pp. 185–193, Feb. 2002.

[38] R. Ulrich, "Far-Infrared Properties of Metallic Mesh and its Complementary Structure" Infrared Phys. vol. 7, no. 1, pp. 37–50, 1967.

[39] R. Garg, "Progress in Microstrip antennas ", IETE Technical Review, vol. 18, no. 2 & 3 pp. 85-98, March- June 2001.

[40] Raj Kumar, George Mathai and J.P. Shinde "Design of Compact Multiband EBG and Effect on Antenna Performance" International Journal of Recent Trends in Engineering, vol. 2, No. 5, Nov. 2009.

[41] Raj Kumar, J.P. Shinde and M.D. U plane, " Effect of Slots in Ground Plane and Patch on Microstrip Antenna Performance" International Journal of Recent Trends in Engineering, vol. 2, no. 6, Nov. 2009.

[42] T. K. Wu and S. W. Lee, "Multiband Frequency Selective Surface with Multiring Patch Elements," IEEE Trans. Antennas Propag. , vol. 42, no. 11, pp. 1484–1490, Nov. 1994.